axieo

SAFETY DATA SHEET

CAB-O-SIL TS-720

Infosafe No.: X011Y Version No.: 5.18 ISSUED Date : 24/07/2018 ISSUED by: Axieo Operations (New Zealand) Limited

1. IDENTIFICATION

GHS Product Identifier CAB-O-SIL TS-720

Product Code ACABO10012

Company Name Axieo Operations (New Zealand) Limited

Address 119 Carbine Road, Mt Wellington, Auckland, 1060 NEW ZEALAND

Telephone/Fax Number Telephone: +64 9 259 3760

Emergency phone number 0800 154 666

E-mail Address compliance@axieo.com

Recommended use of the chemical and restrictions on use Chemical industry, cosmetic, pharmaceutical, material for further processings.

2. HAZARD IDENTIFICATION

GHS classification of the substance/mixture

Not classified as Hazardous according to the Hazardous Substances (Minimum Degrees of Hazard) Regulations 2001, New Zealand. Not classified as Dangerous Goods for transport according to the New Zealand Standard NZS 5433:2012 Transport of Dangerous Goods on Land.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients

Name	CAS	Proportion
Ingredients determined not to be hazardous		100 %

4. FIRST-AID MEASURES

Inhalation

If inhaled, remove affected person from contaminated area. Keep at rest until recovered. If symptoms develop and/or persist seek medical attention.

Ingestion

Do not induce vomiting. Wash out mouth thoroughly with water. Seek medical attention.

Skin

Wash affected area thoroughly with soap and water. If symptoms develop seek medical attention.

Eye contact

If in eyes, hold eyelids apart and flush the eyes continuously with running water. Remove contact lenses. Continue flushing for several minutes until all contaminants are washed out completely. If symptoms develop and/or persist seek medical attention.

First Aid Facilities

Eyewash and normal washroom facilities.

Advice to Doctor

Treat symptomatically.

Other Information

For advice in an emergency, contact a Poisons Information Centre or a doctor at once. (0800 764 766)

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Carbon dioxide, dry chemical or foam.

Unsuitable Extinguishing Media

Do not use water jet.

Hazards from Combustion Products

Under fire conditions this product may emit toxic and/or irritating fumes, smoke and gases including carbon monoxide, carbon dioxide and oxides of nitrogen.

Specific Hazards Arising From The Chemical

This product will burn if exposed to fire.

Decomposition Temperature

Not available

Precautions in connection with Fire

Fire fighters should wear Self-Contained Breathing Apparatus (SCBA) operated in positive pressure mode and full protective clothing to prevent exposure to vapours or fumes. Water spray may be used to cool down heat-exposed containers. Fight fire from safe location. This product should be prevented from entering drains and watercourses.

6. ACCIDENTAL RELEASE MEASURES

Emergency Procedures

Remove all sources of ignition. Increase ventilation. Evacuate all unprotected personnel. Do not breathe in vapours or dust. Wear personal respiratory protection and full protective clothing to minimise exposure.

Liquid form: Extinguish or remove all sources of ignition and stop leak if safe to do so. If possible contain the spill. Place inert absorbent, non-combustible material onto spillage. Use clean non-sparking tools to collect the material and place into suitable labelled containers for subsequent recycling or disposal.

Solid form: Sweep up material avoiding dust generation - dampen spilled material with water if suitable to avoid airborne dust, OR where possible use dustless methods such as vacuum to collect the material; then transfer material in to suitable vapour tight labelled containers for subsequent recycling or disposal.

Dispose of waste according to applicable local and national regulations. If contamination of sewers or waterways occurs inform the local water and waste management authorities in accordance with local regulations.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Avoid inhalation of vapours, mists and dust, and skin or eye contact. Use only in a well ventilated area. Keep containers sealed when not in use. Prevent the build up of vapours, mists or dust in the work atmosphere. Do not use near ignition sources. Do not pressurise, cut, heat or weld containers as they may contain hazardous residues.Establish good housekeeping practices. Solid form: Remove dust accumulations on a regular basis by vacuuming or gentle sweeping to avoid creating dust clouds. Maintain high standards of personal hygiene i.e. washing hands prior to eating, drinking, smoking or using toilet facilities.

Conditions for safe storage, including any incompatibilities

Store in a cool, dry, well-ventilated area away from heat, sources of ignition and out of direct sunlight and moisture. Store away

from incompatible materials such as materials that support combustion; oxidising agents, strong acids, foodstuffs, and clothing. Store in suitable, labelled containers. Keep containers closed when not in use, securely sealed and protected against physical damage. Inspect regularly for deficiencies such as damage or leaks. Have appropriate fire extinguishers available in and near the storage area. Take precautions against static electricity discharges. Use proper grounding procedures. Ensure that storage conditions comply with applicable local and national regulations.

For information on the design of the storeroom, reference should be made to Australian Standard AS1940 (2017)- The storage and handling of flammable and combustible liquids.

For information on the handling of Combustible dusts and grounding procedure reference should be made to Australian Standard AS/NZS 4745 (2012) - 'Code of Practice for Handling Combustible Dusts'.

Storage Temperatures

Preferably, store between 5°C and 39°C.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational exposure limit values

No Exposure Limit Established

Biological Limit Values

No biological limits allocated.

Appropriate Engineering Controls

Provide sufficient ventilation to keep airborne levels below the exposure limits or as low as possible. Where vapours or mists are generated, particularly in enclosed areas, and natural ventilation is inadequate, a flameproof exhaust ventilation system is required. If the engineering controls are not sufficient to maintain concentrations of particulates below the exposure standards, suitable respiratory protection must be worn. Refer to relevant regulations for further information concerning ventilation requirements.

Respiratory Protection

If engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable vapour, mist or dust/particulate filter should be used. Refer to relevant regulations for further information concerning respiratory protective requirements.

Reference should be made to Australian Standards AS/NZS 1715 2009, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716 2012, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances.

Eye Protection

Safety glasses with side shields, chemical goggles or full-face shield as appropriate should be used. Final choice of appropriate eye/ face protection will vary according to individual circumstances. Eye protection devices should conform to relevant regulations. Eye protection should conform with Australian/New Zealand Standard AS/NZS 1337 2 & 6 2012 - Eye Protectors for Industrial Applications.

Hand Protection

Wear gloves of impervious material such as PVC, which is suitable for casual contact. Neoprene or nitrile gloves are recommended, for direct contact for more than 2 hours. Final choice of appropriate gloves will vary according to individual circumstances i.e. methods of handling or according to risk assessments undertaken. Occupational protective gloves should conform to relevant regulations.

Reference should be made to AS/NZS 2161.1 2016: Occupational protective gloves - Selection, use and maintenance.

Body Protection

Suitable protective workwear, e.g. cotton overalls buttoned at neck and wrist is recommended. Chemical resistant apron is recommended where large quantities are handled.

Other Information

Solid form:

No exposure standards have been established for this material. However, over-exposure to some chemicals may result in enhancement of pre-existing adverse medical conditions and/or allergic reactions and should be kept to the least possible levels. The exposure limits for particulates not otherwise classified are as follows: Particulates TWA 10 mg/m³ (inhalable) TWA 3 mg/m³ (respirable)

TWA (Time Weighted Average): The average airborne concentration of a particular substance when calculated over a normal eighthour working day, for a five-day week.

Source: Workplace Exposure Standards and Biological Exposure Indices.

Form

Solid/Liquid

Appearance Solid/Liquid

Colour

Various

Odour Typical

Decomposition Temperature Not available

Melting Point Not available

Boiling Point Not available

Solubility in Water Not available

Solubility in Organic Solvents Not available

Specific Gravity Not available

pH Not available

Vapour Pressure Not available

Vapour Density (Air=1) Not available

Evaporation Rate Not available

Odour Threshold Not available

Viscosity Refer to Section 9: Kinematic Viscosity and Dynamic Viscosity

Volatile Component Not available

Partition Coefficient: n-octanol/water Not available

Flash Point Not available

Flammability Not flammable

Auto-Ignition Temperature Not available

Explosion Limit - Upper Not available

Explosion Limit - Lower Not available Explosion Properties Not available

Oxidising Properties Not available

Kinematic Viscosity Not available

Dynamic Viscosity Not available

10. STABILITY AND REACTIVITY

Reactivity

Refer to Section 10: Possibility of hazardous reactions

Chemical Stability

Stable under normal conditions of storage and handling.

Conditions to Avoid

Dust, heat, open flames and other sources of ignition. Extremes of temperature (preferably, store between 5°C and 39°C). The product is combustible when heated >300°C.

Incompatible materials

May react with strong oxidising agents (eg. chlorates, peroxides), especially at high temperatures.

Hazardous Decomposition Products

Thermal decomposition may result in the release of toxic and/or irritating fumes including: carbon dioxide, carbon monoxide and oxides of nitrogen.

Possibility of hazardous reactions

Reacts with incompatible materials.

May react with strong oxidising agents (eg. chlorates, peroxides), especially at high temperatures.

Hazardous Polymerization

Will not occur.

11. TOXICOLOGICAL INFORMATION

Toxicology Information

No toxicity data available for this material.

Ingestion

Ingestion of this product may irritate the gastric tract causing nausea and vomiting.

Inhalation

Inhalation of dusts/vapors may irritate the respiratory system.

Skin

May be irritating to skin. The symptoms may include redness, itching and swelling.

Eye

May be irritating to eyes. The symptoms may include redness, itching and tearing.

Respiratory sensitisation

Not expected to be a respiratory sensitiser.

Skin Sensitisation

Not expected to be a skin sensitiser.

Germ cell mutagenicity

Not considered to be a mutagenic hazard.

Carcinogenicity

Not considered to be a carcinogenic hazard.

Reproductive Toxicity

Not considered to be toxic to reproduction.

STOT-single exposure

Not expected to cause toxicity to a specific target organ.

STOT-repeated exposure

Not expected to cause toxicity to a specific target organ.

Aspiration Hazard

Not expected to be an aspiration hazard.

12. ECOLOGICAL INFORMATION

Ecotoxicity

No ecological data available for this material.

Persistence and degradability

Insoluble in water - can be separated from water mechanically in suitable effluent treatment plants.

Mobility

Non-volatile and absorption into soil solid phase not expected.

Bioaccumulative Potential Not available

Other Adverse Effects Not available

Environmental Protection Prevent this material entering waterways, drains and sewers.

13. DISPOSAL CONSIDERATIONS

Disposal considerations

The disposal of the spilled or waste material must be done in accordance with applicable local and national regulations.

Product Disposal:

This product can be disposed through a licensed commercial waste collection service. This product is non-hazardous and therefore the New Zealand HSNO regulations regarding disposal do not apply, however other regulations may apply. This product is a non-hazardous, combustible substance; it should be recycled whenever possible or sent to an approved high temperature incineration plant for disposal.

Container Disposal:

The product is non-hazardous, therefore, the packaging may be re-used or recycled if it has been treated to remove any residual contents of the substance. Any wash-off water from the container cleaning process should be sent to a suitable waste water treatment plant before discharge into the environment. In New Zealand, the packaging (that may or may not hold any residual substance) that is lawfully disposed of by householders or other consumers through a public or commercial waste collection service is a means of compliance with regulations.

14. TRANSPORT INFORMATION

Transport Information

Not classified as Dangerous Goods for transport according to the New Zealand Standard NZS 5433:2012 Transport of Dangerous Goods on Land.

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

U.N. Number None Allocated

UN proper shipping name None Allocated Transport hazard class(es) None Allocated

Packing Group None Allocated

UN Number (Air Transport, ICAO) None Allocated

IATA/ICAO Proper Shipping Name Not dangerous for conveyance under IATA code

IATA/ICAO Hazard Class None Allocated

IATA/ICAO Packing Group None Allocated

IMDG UN No None Allocated

IMDG Proper Shipping Name Not dangerous for conveyance under IMO/IMDG code

IMDG Hazard Class None Allocated

IMDG Pack. Group None Allocated

IMDG Marine pollutant No

Transport in Bulk Not available

Special Precautions for User Not available

15. REGULATORY INFORMATION

Regulatory information

Not classified as Hazardous according to the Hazardous Substances (Minimum Degrees of Hazard) Regulations 2001, New Zealand.

16. OTHER INFORMATION

Date of preparation or last revision of SDS

SDS Reviewed: July 2018, Supersedes: January 2017

References

Workplace Exposure Standards and Biological Exposure Indices. Transport of Dangerous goods on land NZS 5433. Preparation of Safety Data Sheets - Approved Code of Practice Under the HSNO Act 1996 (HSNO CoP 8-1 09-06). Assigning a hazardous substance to a group standard. Adopted biological exposure determinants, American Conference of Industrial Hygienists (ACGIH).

Contact Person/Point

IMPORTANT ADVICE: An SDS summarizes our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. The information contained in this SDS is believed to be correct but is not guaranteed. Prior to using the product(s) referred to in this SDS, each user should read this SDS and consider the information in the context of how the product will be handled and used in the workplace, including its use in conjunction with other products. If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact the supplier listed in section 1 of the SDS. Our responsibility for products sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available on request. Axieo does not accept any other liability either directly or indirectly for any losses suffered in connection with the use and application of the product whether or not in accordance with any advice, specification, recommendation or information given by it.

AXIEO SDS WARNING: Axieo is aware that third parties are distributing documents purporting to be SDSs (or the like) in relation to Axieo products without any authorisation from Axieo ("Unauthorised SDS"). Axieo accepts no responsibility for the distribution of an Unauthorised SDS by a third party or for any information contained therein. All Axieo products must be used in accordance with the corresponding original and current SDS authorised by Axieo for use with that Axieo product ("Authorised SDS"). In the event that an SDS in relation to an Axieo product has expired and is not marked as obsolete, please contact Axieo immediately to obtain a current SDS. Further, if an Axieo product is used without the Authorised SDS and/or with an Unauthorised SDS, or an expired SDS which is not marked obsolete, Axieo hereby excludes absolutely and to the maximum extent permitted by law all liability whatsoever and howsoever arising under contract, tort (including negligence) or otherwise for all loss and/or damage including, but not limited to, for personal injury, sickness or death, damage to real property and/or chattels and all indirect and consequential loss (including loss of profits).

END OF SDS

© Copyright Chemical Safety International Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe SDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe SDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

The compilation of SDS's displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copying of any SDS displayed is permitted for personal use only and otherwise is not permitted. In particular the SDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of SDS without the express written consent of Chemical Safety International Pty Ltd.